



Gas Sprayers

Latin America

Graco's Complete Line of Professional Gas Airless Sprayers




PROVEN QUALITY. LEADING TECHNOLOGY.

There is nothing like a Graco® sprayer.

Quality. Performance.
Durability. Productivity.

Graco gas airless sprayers deliver on all counts. Whether you're a contractor focused on small residential or a large contractor tackling the biggest projects every day, Graco offers you the best, most extensive line of painting equipment to meet your needs. Most importantly, when you choose Graco, you know that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco gas sprayers are designed, manufactured, and assembled right here in the USA with imported Honda® engines.

We do!



What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best gas airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN **QUALITY**

100% factory-tested and field-proven design, coupled with cutting-edge technology, keep Graco sprayers performing reliably on the job for years.

MAXIMUM **PERFORMANCE**

Higher output with superior control ensures the highest quality finish for every job.

INDUSTRY-LEADING **WARRANTY**

Every Graco gas sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

UNMATCHED **PRODUCTIVITY**

Exclusive Endurance™ pumps deliver long life and reliable performance, while the Endurance Advantage Program eliminates downtime by providing you a spare pump for quick job site change-out.

For patent information see www.graco.com/patents.



Choose the **RIGHT SIZE** when purchasing a Graco gas sprayer.

If you're a painting contractor who routinely handles residential, commercial, or industrial work, you need an airless sprayer that will deliver the best in performance and reliability. Graco's mission is to offer you the perfect sprayer that's sized for the work you do and will give you the results you expect. Use the Painting Solutions Guide below to help you choose which of Graco's gas sprayers is right for you. Whatever size you need, Graco has the absolute best airless sprayers in the industry.

- What types of material do you spray? In the future?
- How many gallons per week will you spray?
- How many guns do you now need? In the future?
- What hose lengths will you use?
- Will most jobs be indoors or outdoors?
- What tip sizes do you need?
- What power sources do you have available?
- What types of jobs will you bid?
- How much do you want to spend on a sprayer?
- On what types of surfaces will you spray (drywall, wood, concrete, steel, etc.)?

PAINTING SOLUTIONS GUIDE

CLASSIFICATION:	ENTRY GAS	LARGE GAS	EXTREME-DUTY GAS
SPRAYER MODEL:	GMAX™ 3400	GMAX II 3900/5900/7900 GMAX II 5900 Convertible GH™ 130/200/230 Convertible GH 300	GH 733 GH 833 GH 933 GH BIG RIG™s
TYPICAL JOBS:	Interior/Exterior Residential New Construction Repaint/Remodel Property Maintenance Light Commercial	Interior/Exterior Residential New Construction Heavy Commercial Industrial	Fire Proofing Heavy Commercial Industrial Roofing Water-Proofing
TYPICAL MATERIALS:	Latex Paints and Primers Acrylic Paints and Primers Oil-Based Paints and Primers	Latex Paints and Primers Acrylic Paints and Primers Oil-Based Paints and Primers Elastomerics Block Fillers and Gypsum Drywall Mud Dry Fall	Elastomerics Block Fillers and Gypsum Drywall Mud Epoxies and Sealers Asphalt and Aluminum Emulsion Water-Proofing Materials Intumescent
PRODUCTION RATE:	Medium 1 gun up to 0.027 tip up to 0.75 gpm	High up to 5 guns up to 0.057 tip up to 3.0 gpm	Highest up to 6 guns up to 0.065 tip up to 16.5 gpm

Choose the **RIGHT SERIES** for all your painting applications.



m.graco.com/cedseriesvid

Only Graco goes beyond size and offers three different series of airless sprayers that have features designed to make your work easier, faster and more productive. Whether you need the everyday reliability of our **Standard Series**, the increased speed and productivity of the **ProContractor Series**, or the extreme ruggedness of the **IronMan Series**, Graco offers the perfect sprayer that's designed from the ground up to meet your needs.

If You're a **Small Residential and Repainting Contractor**

- ▶ You're painting multiple days a week
- ▶ Your jobs are typically on the smaller side
- ▶ You demand everyday reliability
- ▶ You don't need a lot of extra features




You need a **Standard**Series sprayer.

EVERYDAY RELIABILITY

If You're a **Large Residential and Commercial Contractor**

You're painting every day
You tackle medium to large projects
You're moving frequently from job to job
You need features that save you time and get you in, out, and on to the next job site



You need a **ProContractor**Series sprayer.

WORK SMARTER, FINISH MORE JOBS

If You're a **Large Commercial and Industrial Contractor**

You're painting continuously in less than ideal conditions
You handle large, long-duration projects that require large volumes of material
You keep your equipment on-site in paint
You require extreme durability and reliability



You need an **IronMan**Series sprayer.

BEYOND JOBSITE TOUGH

Standard Series

EVERYDAY RELIABILITY

When you're tackling painting projects multiple days a week, you demand reliability. Graco's Standard Series sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these "Only On A Graco" features:

Honda® Engine Compact, lightweight, and powerful, Honda engines are reliable, technologically advanced, and easy to start.

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Contractor preferred



POWERED by
HONDA

SmartControl™ 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan.

- ▶ Lowest dead band at any pressure



SMARTCONTROL™

Rugged, Durable Cart Design

With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.


- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage

STANDARD
SERIES

Easy Out™ Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish

Vertical filter removes with the cap for less mess



Advantage Drive™ The drive is the critical link between the engine and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- ▶ Hardened steel gears run extremely quiet
- ▶ The most durable, longest lasting drive in the industry
- ▶ Lifetime warranty



Endurance Pump Graco's Endurance Pump is the most rugged and reliable pump on the market today.

- ▶ Long-life V-Max Blue™ packings
- ▶ Chromex™ rod and stainless steel sleeve deliver superior reliability and life



Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.

Ready To Work Everything you need to get spraying—RAC X™ SwitchTip™, Contractor™ gun and 50 feet of BlueMax™ II hose is included.



ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of airless sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the Features of the Standard Series, *Plus:*



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics

WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



Ready To Spray Everything you need—RAC X SwitchTip, Contractor gun and 100 feet of BlueMax II hose is already assembled and ready to use right out of the box, getting you working that much faster.



QuikReel™ With the integrated QuikReel you can deploy and rewind up to 300 feet of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.



- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.



ProConnect™ 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly job site downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



IronMan Series

BEYOND JOBSITE TOUGH

Power, Durability and Capability are what make an IronMan. With its rugged roll cage frame and mechanical components that are designed for continuous, hard use, the IronMan sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs in less than ideal conditions.

IronMan Series sprayers have all the Features of the Standard Series, Plus:



SmartControl 3.0 with LED Display

Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics

WatchDog The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.




- ▶ Prevents dry pumping damage



Flat-Proof

Tires These tires can't be punctured by nails, screws or other sharp debris. They will never go flat, leaving the sprayer stranded on a jobsite.





Roll Cage Frame Design All IronMan sprayers are built for the most brutal and demanding job sites.

- Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites



- Crush-proof intake screen stands up to harsh impacts



ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.


- Eliminates costly jobsite downtime
- Quickly and easily swap out the pump for a spare
- Pinless design needs no tools



Extreme-Duty MaxLife® Pump

Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- Lasts **6X longer** between repacks
- Exclusive MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop and increased performance



- Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



Heavy-Duty Hose and Gun 100 feet of high-performance BlueMax II airless hose and a Silver Plus gun that can handle spraying heavier materials are included with every IronMan sprayer.

GMAX 3400

With a 120 cc Honda engine, the GMAX 3400 is the perfect sprayer for the entry-level contractor who is looking for maximum power in a lightweight, portable package.

SERIES
STANDARD

PART #
16W863

SPECIFICATIONS

MAX TIP SIZE: 0.027-1 Gun
MAX GPM (LPM): 0.75 (2.8)
MAX PSI (BAR): 3300 (227)
ENGINE CC (HP): Honda 120 (4.0)

INCLUDES

- Contractor Gun
- RAC X 517 SwitchTip™ and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Standard Series GMAX 3400 and GMAX II 3900 features found Only On A Graco:

Advantage Drive System Runs quiet and has a lifetime guarantee.

SmartControl 3.0 Pressure Control Delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Endurance Pump Amazingly durable design lasts twice as long as the next leading brand.

Honda Engine Delivers maximum performance and contractor preferred reliability.

Rugged Cart Design Chrome over steel makes this durable cart last for years.

Easy Out Pump Filter Less mess when changing or cleaning the filter.

Heavy-Duty Prime Valve Maintenance-free design withstands high pressure dumping.

GMAX II 3900

With a 120 cc Honda engine and additional features for increased productivity, the GMAX II 3900 can handle up to two guns and is ideal for the professional contractor who sprays a wide variety of coatings.

SERIES	PART #
STANDARD	16W865
PROCONTRACTOR	16W867
LO-BOY	16W866
SPECIFICATIONS	
MAX TIP SIZE:	0.036–1 Gun 0.023–2 Guns
MAX GPM (LPM):	1.25 (4.7)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 120 (4.0)

INCLUDES

STANDARD SERIES AND LO-BOY UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Also available in Lo-Boy configuration with ProConnect Pump System.

ProContractor Series

WORK SMARTER, FINISH MORE JOBS

All the features of the

Standard Series,
PLUS:

QuikReel Deploy and rewind up to 300 feet of hose in seconds without twists, kinks or coils.

Ready To Spray A total of 100 feet of hose and gun already installed.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/ gallon counter and self diagnostics.

WatchDog Save the pump from damage when paint runs out or a hose breaks.

On-Board Toolbox End frustration and save time by never again searching for tips, filters, and tools.



GMAX II 5900

With a 160 cc Honda engine and the ability to spray up to 1.6 gallons per minute, the GMAX II 5900 is the industry standard for the professional contractor who sprays a wide variety of coatings on residential, commercial, and industrial jobs.

SERIES	PART #
STANDARD	16W869
PROCONTRACTOR	16W871
IRONMAN	16W881
CONVERTIBLE	16W873
LO-BOY	16W870

SPECIFICATIONS

MAX TIP SIZE:	0.043–1 Gun 0.029–2 Guns 0.023–3 Guns
MAX GPM (LPM):	1.60 (6.0)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 200 (6.5)

INCLUDES

STANDARD SERIES, CONVERTIBLE AND LO-BOY UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

IRONMAN SERIES UNIT:

- Silver Plus Gun
 - RAC X 517 SwitchTip and Guard
 - RAC X Wide RAC 1231 SwitchTip
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Also available in Lo-Boy configuration with ProConnect Pump System.



Standard Series features found Only On A Graco:

Advantage Drive System Runs quiet and has a lifetime guarantee.

SmartControl 3.0 Pressure Control

Delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Endurance Pump Amazingly durable design lasts twice as long as the next leading brand.

Honda Engine Delivers maximum performance and contractor preferred reliability.

Rugged Cart Design Chrome over steel makes this durable cart last for years.

Easy Out Pump Filter Less mess when changing or cleaning the filter.

Heavy-Duty Prime Valve Maintenance-free design withstands high pressure dumping.

ProContractor

WORK SMART



All the features

Choose a Series
that's built
FOR YOU!

Contractor Series

ER, FINISH MORE JOBS



of the Standard Series, **PLUS:**

QuikReel Deploy and rewind up to 300 feet of hose in seconds with out twists, kinks or coils.

Ready To Spray A total of 100 feet of hose and gun already installed.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

WatchDog Save the pump from damage when paint runs out or a hose breaks.

On-Board Toolbox End frustration and save time by never again searching for tips, filters, and tools.

IronMan Series

BEYOND JOBSITE TOUGH



GMAX II 5900

All the features of the Standard Series, **PLUS:**

MaxLife Extreme Duty Pump

Keeps you working by running **6X longer** between repacks.

Ceramic and Stainless Steel Ball Set

Ceramic and stainless steel ball sets provide maximum versatility no matter what you're spraying.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

Roll Cage Frame Innovative steel design withstands rugged environments and protects critical sprayer components.

LED Display

Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

Flat-Proof Tires Roll through even the worst jobsite debris without ever going flat.

WatchDog Save the pump from damage when paint runs out or if a hose breaks.

Additional 50 ft of Hose Gives you the versatility to work farther away from the sprayer.

GMAX II 7900

With a 200 cc Honda engine and the ability to spray up to 2.2 gallons per minute, the GMAX 7900 is Graco's largest gas mechanical sprayer. All 7900 sprayers come equipped with Graco's Extreme-Duty MaxLife pump, and they can handle the widest range of tip sizes, multiple guns, longer hose lengths and heavier coatings with ease.

SERIES	PART #
STANDARD	16W883
PROCONTRACTOR	16W885
IRONMAN	16W887
LO-BOY	16W884

SPECIFICATIONS

MAX TIP SIZE:	0.048-1 Gun 0.035-2 Guns 0.027-3 Guns 0.023-4 Guns
MAX GPM (LPM):	2.20 (8.3)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 200 (6.5)

INCLUDES

STANDARD SERIES AND LO-BOY UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

IRONMAN SERIES UNIT:

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- RAC X Wide RAC 1231 SwitchTip
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Also available in Lo-Boy configuration with ProConnect Pump System.

Standard Series features found Only On A Graco:

Advantage Drive System Runs quiet and has a lifetime guarantee.

SmartControl 3.0 Pressure Control

Delivers consistent spray fan without pressure fluctuations at all spraying pressures.

MaxLife Extreme-Duty Pump Keeps you working by running **6X longer** between repacks.

Honda Engine Delivers maximum performance and contractor preferred reliability.

Rugged Cart Design Chrome over steel makes this durable cart last for years.

Easy Out Pump Filter Less mess when changing or cleaning the filter.

Heavy-Duty Prime Valve Maintenance-free design withstands high pressure dumping.

ProContractor

WORK SMART



All the features

Choose a Series
that's built
FOR YOU!

Contractor Series

ER, FINISH MORE JOBS



of the Standard Series, **PLUS:**

QuikReel Deploy and rewind up to 300 feet of hose in seconds with out twists, kinks or coils.

Ready To Spray A total of 100 feet of hose and gun already installed.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

WatchDog Save the pump from damage when paint runs out or a hose breaks.

On-Board Toolbox End frustration and save time by never again searching for tips, filters, and tools.

IronMan Series

BEYOND JOBSITE TOUGH



GMAX II 7900

All the features of the Standard Series, **PLUS:**

Ceramic and Stainless Steel Ball Set Ceramic and stainless steel ball sets provide maximum versatility no matter what you're spraying.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

Roll Cage Frame Innovative steel design withstands rugged environments and protects critical sprayer components.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

Flat-Proof Tires Roll through even the worst jobsite debris without ever going flat.

WatchDog Save the pump from damage when paint runs out or if a hose breaks.

Additional 50 ft of Hose Gives you the versatility to work farther away from the sprayer.

GH 130 Convertible

GH Series sprayers are powerful hydraulic units for high production contractors spraying a wide range of material from latex and acrylics to elastomerics and block fillers on large commercial jobs. With the ability to change out the pump lower and convert to electric power without tools, you can be assured that you have the most versatile sprayer on the market today.

DESCRIPTION **PART #**
GH 130 *Convertible* 253957

GH 130 *Convertible*
with Electric Motor
Kit (Non CSA) 253959

GH 130 *Convertible*
with Electric Motor
Kit (CSA) 253980

SPECIFICATIONS (with Gas Engine)
MAX TIP SIZE: 0.037–1 Gun
 0.023–2 Guns

MAX GPM (LPM): 1.30 (4.9)

MAX PSI (BAR): 3300 (227)

ENGINE CC (HP): Honda 120 (4.0)

SPECIFICATIONS (with Electric Motor)
MAX TIP SIZE: 0.031

MAX GPM (LPM): 1.10 (4.2)

INCLUDES

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



The ability to convert from gas to electric in seconds without any tools!



Features found "Only On A Graco" GH *Convertible* Sprayer



High Capacity Cooling System

- ▶ Innovative hydraulic reservoir
- ▶ No special hydraulic fluid needed
- ▶ Cooling fins on reservoir deflect heat away from sprayer

Indoor or Outdoor Use

- ▶ Swap the gas engine for a TEFC electric motor in seconds

Exclusive ProConnect Pump Removal and Installation System

- ▶ Quickly swap out the pump for a spare in seconds
- ▶ No tools needed
- ▶ Eliminates costly jobsite downtime



Honda Engine

- ▶ Contractor preferred
- ▶ Compact, lightweight, and reliable engine is easy to start
- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage

POWERED by
HONDA



Easy Out Pump Filter and Crush-Proof Rock Catcher

- ▶ Reduces tip clogs and ensures a quality finish
- ▶ Filter removes with the cap, meaning less mess during filter changes
- ▶ Filters from the inside out, so the filter won't get stuck or collapse when dirty
- ▶ Exclusive crush-proof rock catcher provides unmatched pump protection



High Efficiency Hydraulic Pump

- ▶ Faster, more responsive changeover
- ▶ 100% O-ring sealed fittings prevent leaks
- ▶ Fewer moving parts mean less maintenance and longer life



GH 200 Convertible

DESCRIPTION **PART #**
GH 200 Convertible 253962

GH 200 Convertible
with Electric Motor
Kit (Non CSA) 253963

GH 200 Convertible
with Electric Motor
Kit (CSA) 253981

SPECIFICATIONS (with Gas Engine)

MAX TIP SIZE:
0.047–1 Gun
0.034–2 Guns
0.027–3 Guns
0.023–4 Guns

MAX GPM (LPM): 2.15 (8.14)

MAX PSI (BAR): 3300 (227)

ENGINE CC (HP): Honda 160 (5.5)

SPECIFICATIONS (with Electric Motor)

MAX TIP SIZE: 0.031

MAX GPM (LPM): 1.10 (4.2)

INCLUDES

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



Key Features of the GH 200 Convertible

65% higher output flow and 33% larger engine

than the GH 130 Convertible making it ideal for heavier coatings

MaxLife Pump

- ▶ Exclusive MaxLife rod sleeve delivers unmatched durability
- ▶ Runs 6X longer between repacks
- ▶ Oversized clearances ensure minimal pressure drop and increased performance



Exclusive ProConnect Pump Removal and Installation System

- ▶ Quickly swap out the pump for a spare in seconds
- ▶ No tools needed
- ▶ Eliminates costly jobsite downtime



The ability to convert from gas to electric
in seconds without any tools!



GH 230 Convertible

DESCRIPTION **PART #**
GH 230 Convertible 253965

GH 230 Convertible
with Electric Motor
Kit (Non CSA) 253966

GH 230 Convertible
with Electric Motor
Kit (CSA) 253982

SPECIFICATIONS (with Gas Engine)

MAX TIP SIZE: 0.053-1 Gun
 0.038-2 Guns
 0.032-3 Guns
 0.028-4 Guns
 0.024-5 Guns

MAX GPM (LPM): 2.35 (8.9)

MAX PSI (BAR): 3300 (227)

ENGINE CC (HP): Honda 220 (6.5)

SPECIFICATIONS (with Electric Motor)

MAX TIP SIZE: 0.031

MAX GPM (LPM): 1.10 (4.2)

INCLUDES

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose



*The ability to convert from gas to electric
in seconds without any tools!*

Key Features of the GH 230 Convertible

10% more performance and 25% larger engine
than the GH 200 Convertible

MaxLife Pump

- ▶ Exclusive MaxLife sleeve and MaxLife rod delivers unmatched durability
- ▶ Runs 6X longer between repacks
- ▶ Oversized clearances ensure minimal pressure drop and increased performance



Exclusive ProConnect Pump Removal and Installation System

- ▶ Quickly swap out the pump for a spare in seconds
- ▶ No tools needed
- ▶ Eliminates costly job site downtime



Silver Plus Gun

- ▶ Larger passages and less obstructions result in maximum material flow



Larger Hose Included

- ▶ Larger 3/8 inch (9.5 mm) BlueMax II Airless Hose
- ▶ Additional 1/4 in x 3 ft (6.4 mm x 1.8 m) BlueMax II Whip Hose included



GH 300

DESCRIPTION
GH 300

PART #
253968

SPECIFICATIONS

MAX TIP SIZE:
0.057-1 Gun
0.039-2 Guns
0.033-3 Guns
0.029-4 Guns
0.025-5 Guns

MAX GPM (LPM): 3.0 (11.4)

MAX PSI (BAR): 3300 (227)

ENGINE CC (HP): Honda 270 (9.0)

INCLUDES

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose



Key Features of the GH 300

28% higher output flow and 35% larger engine

than the GH 230 Convertible making it ideal for heavier coatings

MaxLife Pump

- ▶ Exclusive MaxLife sleeve and MaxLife rod delivers unmatched durability
- ▶ Runs 6X longer between repacks
- ▶ Oversized clearances ensure minimal pressure drop and increased performance



Exclusive ProConnect Pump Removal and Installation System

- ▶ Quickly swap out the pump for a spare in seconds
- ▶ No tools needed
- ▶ Eliminates costly job site downtime



Silver Plus Gun

- ▶ Larger passages and less obstructions result in maximum material flow



Larger Hose Included

- ▶ Larger 3/8 inch (9.5 mm) BlueMax II Airless Hose
- ▶ Additional 1/4 in x 3 ft (6.4 mm x 1.8 m) BlueMax II Whip Hose included

GH 230/ GH 300

GH 833

The GH 833 is the preferred choice for high-production professional contractors who spray a wide range of materials. The job site-proven workhorse is the answer when you demand ruggedness, performance and value.

DESCRIPTION	PART #
BARE	249318
COMPLETE	249617
BARE ELECTRIC START	16U287
COMPLETE ELECTRIC START	16U288
OEM	249767
(Hydraulic Engine and Displacement Pump Only)	

SPECIFICATIONS

MAX TIP SIZE:	0.065–1 Gun
	0.046–2 Guns
	0.037–3 Guns
	0.032–4 Guns
	0.029–5 Guns
	0.026–6 Guns

MAX GPM (LPM):	4.0 (15.1)
MAX PSI (BAR):	4000 (276)
ENGINE CC (HP):	Honda 390 (13.0)

COMPLETE SPRAYER INCLUDES

- Silver Plus Gun
- RAC X 517, RAC X 655 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II HP Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose

ADDITIONAL FEATURES

- Lockable pressure control knob
- Grounding wire for safety with solvent materials
- Huge 1.5-inch diameter siphon hose
- Oversized 1-inch porting on displacement pump



Direct Immersion Kit allows ultimate flexibility with tough-to-spray materials. (Part #287843)

Features

Heavy-Duty Cooling System

- ▶ Large 4-gallon hydraulic reservoir
- ▶ Return line hydraulic filter extends life
- ▶ No special hydraulic fluid needed
- ▶ Proven cooler and blower system
- ▶ Easy to use drain plug

Heavy-Duty Graco Hydraulic System

- ▶ Faster, more responsive changeover
- ▶ O-ring sealed to eliminate leaks
- ▶ High-precision pressure control
- ▶ No hydraulic reset button needed
- ▶ Durable hydraulic lines for long life

Honda Engine with Electric Start* (*ES models only)

- ▶ 390 cc (13 hp) engine with integrated fuel tank delivers maximum performance
- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Back-up pull start
- ▶ High-capacity, 12 volt 18 amp charging system*

Heavy-Duty Frame

- ▶ Easy-roll tubed pneumatic tires
- ▶ Enamel-painted steel tubing resists corrosion
- ▶ Multi-function design converts to skid mount in seconds

Exclusive MaxLife Pump (Available on GH 833 model only)

- ▶ Exclusive MaxLife rod and sleeve delivers unmatched durability and life—Graco's best
- ▶ Only 16 cycles per gallon
- ▶ Exclusive QuikChange Pump System and QuikAccess Intake Valve eliminate downtime
- ▶ Oversized clearances ensure minimal pressure drop and increased performance

Flow-Through Filter System (Available on GH 833 model only)

- ▶ Reduces tip clogs and ensures a quality finish
- ▶ Filters from the inside out, so the filter won't get stuck or collapse when dirty



Perfect for trucks and trailers!

GH BIG RIG SPRAYERS

GH 933

DESCRIPTION	PART #
BARE	16U281
COMPLETE	16U282
BARE ELECTRIC START	16U285
COMPLETE ELECTRIC START	16U286

SPECIFICATIONS

MAX TIP SIZE:	0.065
MAX GPM (LPM):	2.5 (9.5)
MAX PSI (BAR):	7250 (500)
ENGINE CC (HP):	Honda 390 (13.0)

COMPLETE SPRAYER INCLUDES

- XTR 704 Gun
- XHD 519 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) Xtreme-Duty Airless Hose
 - 1/4 in x 6 ft (6.4 mm x 1.8 m) Xtreme-Duty Airless Hose

GH 733ES

DESCRIPTION	PART #
BARE ELECTRIC START	16U279

SPECIFICATIONS

MAX GPM (LPM):	4.0 (15.1)
MAX PSI (BAR):	4000 (276)

GH 1017ES

DESCRIPTION	PART #
BARE ELECTRIC START	16U277

SPECIFICATIONS

MAX GPM (LPM):	16.5 (62.5)
MAX PSI (BAR):	1000 (7.0)

GH 2570ES

DESCRIPTION	PART #
BARE ELECTRIC START	16U278

SPECIFICATIONS

MAX GPM (LPM):	7.0 (26.5)
MAX PSI (BAR):	2500 (172)

GH 5040ES

DESCRIPTION	PART #
BARE	
ELECTRIC START	16U280

SPECIFICATIONS

MAX GPM (LPM):	3.5 (13.2)
MAX PSI (BAR):	5000 (345)

Introducing the **ALL NEW** Big Rig Sprayers!

For 30 years, contractors have turned to the GH line of gas hydraulic sprayers when they needed maximum performance and unmatched versatility. The tradition continues with the GH Big Rig* sprayers. Equipped with exclusive QuikChange™ Lowers, each Big Rig sprayer can easily be customized for each coating, eliminating the need to purchase additional rigs. Whether you require high pressure for long hose runs and hard-to-atomize materials, or high flow rates for heavier coverage, turn to the GH Big Rig sprayers to get the job done.

*See GH Big Rig Sprayers Brochure (Part #342550) for the complete line of GH Big Rig sprayers and other sprayer configurations.



GH 933ES Big Rig model



Accessories

GAS AIRLESS SPRAYERS

In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and extensions, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.

RAC TIPS AND GUARDS

- 286-XXX RAC 5 SwitchTips, Black (Odd #) Ideal for residential, commercial and industrial jobs.
Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa)
- 243161 RAC 5 HandTite Guard 7/8 in (22 mm) thread size, standard Graco thread
- 243263 RAC 5 HandTite Guard 11/16 in (17 mm) thread size, older style Graco pole guns, fits competitive guns with 11/16 in (17 mm) threads
- LTX-XXX RAC X™ SwitchTips, Blue (Odd #) It has the longest lasting fan pattern on the market.
Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa)
- WR-XXXX RAC X Wide RAC SwitchTips, Blue (Odd #) 24 in (610 mm) spray fan for maximum coverage and productivity. *Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa)*
- 246215 RAC X HandTite™ Guard 7/8 in (22 mm) thread size, standard Graco thread
- 246437 RAC X HandTite Guard 11/16 in (17 mm) thread size, older style Graco pole guns, fits competitive guns with 11/16 in (17 mm) threads




CONTRACTOR/FTx GUNS Designed by Graco to be the longest-lasting guns on the market, the Contractor and FTx Guns continue to be the number one choice of painting contractors. With features like the FlexSeal design, Easy Out Gun Filter and EasyGlide Swivel, no wonder these are the contractors choice in guns.

- 288420 Contractor Gun (2-finger trigger) with RAC X 517 Tip and Guard
- 288425 Contractor Gun (4-finger trigger) with RAC X 517 Tip and Guard
- 288421 Contractor Gun (2-finger trigger) with RAC 5 517 Tip and Guard
- 288430 FTx™ Gun (4-finger trigger) with RAC X 515 Tip and Guard
- 288429 FTx Gun (2-finger trigger) with RAC X 515 Tip and Guard
- 288431 FTx Gun (4-finger trigger) with RAC 5 515 Tip and Guard
- 288488 Gun Repair Kit



SILVER PLUS GUNS *Maximum Working Pressure: 5000 psi (345 bar, 34.5 MPa)*

- 246240 Silver Plus Gun (2-finger) with RAC X 517 Tip and Guard
- 243283 Silver Plus Gun (2-finger) with RAC 5 517 Tip and Guard
- 235460 Silver Plus Gun (2-finger) with Flat Tip Guard
- 235461 Silver Plus Gun (4-finger) with Flat Tip Guard
- 235462 Silver Plus Gun Fine Finish (2-finger) with Flat Tip Guard
- 235474 Repair Kit



HEAVY-DUTY AND MASTIC GUNS

- 241705 Heavy-Duty Gun with RAC X 531 Tip and Guard, 4000 psi (276 bar)
- 224472 Mastic Gun 36 in (.9 m) Extension, 5000 psi (345 bar)
- 237260 Repair Kit – Heavy-Duty Gun



GUN SWIVEL

- 189018 Gun Swivel rated to 5600 psi (386 bar, 38.6 MPa)

POLE GUNS *Maximum Working Pressure: 3600 psi (248 bar, 24.8 MPa)*

- 287023 3 ft (.9 m) Pole Gun with RAC X SwitchTip 517 System
- 287024 6 ft (1.8 m) Pole Gun with RAC X SwitchTip 517 System

EXTENSIONS *Maximum Working Pressure: 4050 psi (280 bar, 28.0 MPa)*

Includes: RAC X HandTite Guard Standard with 7/8 in (22 mm) Gun Nut and OneSeal

- 287019 10-inch (25 cm) 287021 20-inch (50 cm)
- 287020 15-inch (38 cm) 287022 30-inch (75 cm)



SIPHON KITS

- 287541 30/55-Gallon Siphon Kit Fits GMAX II 3900/5900/7900; GH 130/200/230/300

ELECTRIC MOTOR KITS

- | | | | |
|--------|--|--------|---|
| 245095 | GMAX 5900 Convertible Electric Motor Kit (Non-CSA) | 288474 | GH 130 Electric Motor Kit (CSA) |
| | | 248949 | GH 200/300 Electric Motor Kit (Non-CSA) |
| 245096 | GMAX 5900 Convertible Electric Motor Kit (CSA) | 248949 | GH 200/300 Electric Motor Kit (Non-CSA) |
| | | 248950 | GH 200/300 Electric Motor Kit (CSA) |
| 288473 | GH 130 Electric Motor Kit (Non-CSA) | | |

GH 833 KITS*

- 287843 Direct Immersion Kit; Includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
- 249767 OEM Kit; Includes: Hydraulic Engine/Head, Displacement Pump
- 287916 Non-Solvent Siphon Kit, 1.5 in diameter x 6.5 ft (2 m) Siphon Hose
- 287915 Solvent Resistant Siphon Kit, 1.5 in diameter x 6.5 ft (2 m) Siphon Hose

GH 733, GH 933, GH 2570, GH 5040 KITS*

- 287843 Direct Immersion Kit; Includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
Fits GH 733, GH 833, GH 933 and GH 5040
- 16U764 Direct Immersion Kit; Includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
Fits GH 2570
- 16U505 12 Gallon Stainless Steel Material Hopper Kit
Fits GH 733, GH 933 and GH 5040
- 287936 Non-Solvent Siphon Kit, 2 in diameter x 6.5 ft (2 m) Siphon Hose



GUN HOSE KITS – KITS INCLUDE THE FOLLOWING UNLESS OTHERWISE NOTED

Airless Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m)
3300 psi (227 bar) BlueMax II Airless Hose and 3 ft (0.9 m) Whip Hose

- 288489 Contractor Gun Hose Kit
- 288496 Contractor Gun Hose Kit with RAC 5
- 288490 Contractor Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m)
3300 psi (227 bar) BlueMax II Airless Hose
- 288493 FTx Gun Hose Kit with RAC X 515 Tip (Whip Hose Excluded)
- 288497 FTx Gun Hose Kit with RAC 5 515 Tip (Whip Hose Excluded)
- 287095 Flex Plus™ Gun Hose Kit
- 287041 Silver Plus Gun Hose Kit
- 287042 Silver Plus Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi (227 bar) BlueMax II Airless Hose
- 287043 Silver Plus Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m) 4000 psi (276 bar) BlueMax II Airless Hose
- 287850 Silver Plus Gun Hose Kit with RAC X SwitchTip, 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi (227 bar) Hose
- 287851 Flex Plus Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft
(9.5 mm x 15 m) 4000 psi (276 bar) Hose and Whip Hose
- 287852 Heavy-Duty Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft
(9.5 mm x 15 m) 4000 psi (276 bar) Hose and Whip Hose



BLUEMAX II AIRLESS HOSE To maximize results, choose the high performance BlueMax II Airless Hose. Lighter weight and increased hose flexibility improves usability when spraying under pressure. With superior flexibility and durability, BlueMax II ensures you get the best results from your airless sprayer.

- 238358 3/16 in x 3 ft (4.8 mm x 0.9 m) BlueMax II 3300 psi (227 bar) Airless Whip Hose
- 238959 3/16 in x 4.5 ft (4.8 mm x 1.4 m) BlueMax II 3300 psi (227 bar) Airless Whip Hose
- 240793 1/4 in x 25 ft (6.4 mm x 7.5 m) BlueMax II 3300 psi (227 bar) Airless Hose
- 240794 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose
- 240797 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose



BLUEMAX II HIGH PRESSURE HOSE Maximum Working Pressure: 4000 psi (276 bar)

- 277249 1/4 in x 3 ft (6.4 mm x 0.9 m) MxF Whip Hose
- 277250 1/4 in x 50 ft (6.4 mm x 15 m) FBE
- 277351 3/8 in x 3 ft (9.5 mm x 0.9 m) MxF Whip Hose
- 277251 3/8 in x 50 ft (9.5 mm x 15 m) FBE
- 277253 1/2 in x 50 ft (13 mm x 15 m) FBE

PUMP ARMOR™/TSL™ Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids. Pump Armor is a storage solution which protects your pump from the damaging effects of corrosion during storage. TSL (Throat Seal Liquid) prevents dried paint from accumulating on the pump rod—extending the life of the pump packings.

- 243103 Pump Armor – 1 qt (1 l)
- 245133 Pump Armor – 1 gal (3.8 l)
- 206994 Throat Seal Liquid (TSL) – 8 oz (.24 l)
- 206995 Throat Seal Liquid (TSL) – 1 qt (1 l)
- 206996 Throat Seal Liquid (TSL) – 1 gal (3.8 l)



*See GH Big Rig Sprayers Brochure 342550 for complete line of GH Big Rig Sprayers sprayers and other sprayer configurations.

Ask your local authorized Graco Distributor for details on our complete line of airless accessories.

GAS AIRLESS SPRAYER SPECIFICATIONS

		GH 130	GH 200	GH 230	GH 300	GH 833	GH 933
SPECIFICATIONS	Maximum Tip Size	0.037	0.047	0.053	0.057	0.065	0.053
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	4000 (276)	7250 (500)
	Maximum gpm (lpm)	1.30 (4.9)	2.15 (8.14)	2.35 (8.9)	3.00 (11.4)	4.00 (15.1)	2.50 (9.5)
	Honda Engine cc (hp)	120 (4.0)	160 (5.5)	200 (6.5)	270 (9.0)	390 (13.0)	390 (13.0)
	Weight lb (kg)	150 (68)	160 (72)	168 (76)	195 (88)	N/A	N/A
	Gun Support (Gas):						
	1 Gun	0.037	0.047	0.053	0.057	0.065	0.053
	2 Guns	0.023	0.034	0.038	0.039	0.046	0.038
	3 Guns	—	0.027	0.032	0.033	0.037	0.032
	4 Guns	—	0.023	0.028	0.029	0.032	0.028
	5 Guns	—	—	0.024	0.025	0.029	0.024
	6 Guns	—	—	—	—	0.026	—
	Gun Support (Elec.):						
	1 Gun	0.031	0.031	0.031	N/A	N/A	N/A
	2 Guns	0.017	0.017	0.017			
							
MODEL	Cart Design—Part Number	Stand-253957 w/Electric Motor (Non CSA)—253959 w/Electric Motor (CSA)—253980	Stand-253962 w/Electric Motor (Non CSA)—253963 w/Electric Motor (CSA)—253981	Stand-253965 w/Electric Motor (Non CSA)—253966 w/Electric Motor (CSA)—253982	Stand-253968	Bare-249318 Complete-249617 Bare ES-16U287 Complete ES-16U288 OEM Kit-249767	Bare-16U281 Complete-16U282 Bare ES-16U285
INCLUDES	Gun	Contractor	Contractor	Silver Plus	Silver Plus	Silver Plus	XTR704
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 6 ft (6.4 mm x 1.8 m) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) Xtreme-Duty Airless AND 1/4 in x 6 ft (6.4 mm x 1.8 m) Xtreme-Duty Airless Whip Hose
	Tip	RAC X 517 SwitchTip and Guard	RAC X 517 SwitchTip and Guard	RAC X 517 SwitchTip and Guard	RAC X 517 SwitchTip and Guard	RAC X 517 SwitchTip and Guard	XHD 519 SwitchTip and Guard
	Filter	Easy Out	Easy Out	Easy Out	Easy Out	Easy Out	Easy Out
PUMP	Type	Endurance Piston QuikChange System	Endurance Piston ProConnect	Endurance Piston ProConnect	Endurance Piston ProConnect	Endurance Piston QuikChange System	QuikChange System
	Rod	Chromex	MaxLife	MaxLife	MaxLife	MaxLife	Chromex
	Cylinder	Hardened SST	MaxLife	MaxLife	MaxLife	Hardened SST	Hardened Chrome
CONTROL & DRIVE	Control	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
ENDURANCE PUMP	Replacement Pump	24B748	288467	288468	288468	—	—
WEAR PARTS	Repair Kit	288471	287813	287813	287813	—	—
	Rod	288479	288469	288470	288470	—	—
	Sleeve	248210	249121	287817	287817	—	—
	Intake Seat Kit	244199	240918	240918	240918	—	—
MANUAL	Operation	311791	311791	311791	311791	—	—
	Parts	311797	311797	311797	311797	—	—

		GMAX 3400	GMAX II 3900			GMAX II 3900	
SPECIFICATIONS	Maximum Tip Size	0.027	0.036				
	Maximum psi (bar)	3300 (227)	3300 (227)				
	Maximum gpm (lpm)	0.75 (2.8)	1.25 (4.7)				
	Honda Engine cc (hp)	120 (4.0)	120 (4.0)				
	Control	SmartControl 3.0	SmartControl 3.0				
	Weight lb (kg)	89 (41)	109 (50)				
	Gun Support: 1 Gun 2 Guns 3 Guns 4 Guns	0.027 — — —	0.036 0.023 — —				
	Gun Support (Elec.): 1 Gun 2 Guns	N/A	N/A			N/A	0.031 0.017
							
SERIES TYPE		STANDARD	LO-BOY	STANDARD	PROCONTRACTOR	LO-BOY	CONVERTIBLE
MODEL	Cart Design—Part Number	16W863	16W866	16W865	16W867	16W870	Hi-Boy—16W873
INCLUDES	Gun	Contractor	Contractor	Contractor	Contractor	Contractor	Contractor
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
	Tip	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517
	Filter	Easy Out	Easy Out	Easy Out	Easy Out	Easy Out	Easy Out
ADDITIONAL FEATURES	PUMP	Type	Endurance Piston QuikChange System	Endurance Piston ProConnect 2	Endurance Piston ProConnect 2	Endurance Piston ProConnect 2	Endurance Piston QuikChange System
		Intake	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess
		Rod	Chromex	Chromex	Chromex	Chromex	Chromex
		Sleeve	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST
	OTHER	—	Lo-Boy Frame	—	QuikReel	Lo-Boy Frame	—
		—	—	—	LED Display	—	—
		—	—	—	WatchDog	—	—
		—	—	—	On-Board Toolbox	—	—
WEAR PARTS	Replacement Pump	246428	16X414	16Y598	16X414	16X419	16Y706
	Repair Kit	244194	248212	248212	248212	248213	248213
	Rod	249125	16X434	248206	16X434	16X435	248207
	Sleeve	—	248209	248209	248209	248210	248210
	Intake Seat Kit	246429	239922	239922	239922	244199	244199
MANUAL	Operation	332919	332919	332919	332919	332919	332919
	Parts	332921	332921	332921	332921	332921	332921

MAX II 5900		
0.043		
3300 (227)		
200 (6.5)		
160 (5.5)		
SmartControl 3.0		
139 (64)		
0.043 0.029 0.023 —		
N/A	N/A	N/A



STANDARD	PROCONTRACTOR	IRONMAN
16W869	16W871	16W881
Contractor	Contractor	Silver Plus
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
RAC X 517	RAC X 517	RAC X 517, RAC X Wide RAC 1231
Easy Out	Easy Out	Easy Out
Endurance Piston QuikChange System	Endurance Piston ProConnect 2	Endurance Piston ProConnect 2
QuikAccess	QuikAccess	QuikAccess
Chromex	Chromex	MaxLife
Hardened SST	Hardened SST	MaxLife
—	QuikReel	Roll Cage Frame
—	LED Display	LED Display
—	WatchDog	WatchDog
—	On-Board Toolbox	Flat-Proof Tires
16Y706	16X419	16X420
248213	248213	248213/16X430*
248207	16X435	16X436
248210	248210	257031
244199	244199	244199
332919	332919	332919
332921	332921	332921

GMAX II 7900	
0.048	
3300 (227)	
2.20 (8.3)	
200 (6.5)	
SmartControl 3.0	
146 (67)	
0.048 0.035 0.027 0.023	
N/A	



LO-BOY	STANDARD	PROCONTRACTOR	IRONMAN
16W884	16W883 Roof Rig 16W987	16W885	16W887
Contractor	Contractor	Contractor	Silver Plus
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless AND 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
RAC X 517	RAC X 517	RAC X 517	RAC X 517, RAC X Wide RAC 1231
Easy Out	Easy Out	Easy Out	Easy Out
Endurance Piston QuikChange System	Endurance Piston QuikChange System	Endurance Piston ProConnect 2	Endurance Piston ProConnect 2
QuikAccess	QuikAccess	QuikAccess	QuikAccess
MaxLife	MaxLife	MaxLife	MaxLife
MaxLife	MaxLife	MaxLife	MaxLife
Lo-Boy Frame	—	QuikReel	Roll Cage Frame
—	—	LED Display	LED Display
—	—	WatchDog	WatchDog
—	—	On-Board Toolbox	Flat-Proof Tires
16X426	16X423	16X426	16X426
249123	249123	249123	249123/17A578*
16X439	249119	16X439	16X439
249121	249121	249121	249121
240918	240918	240918	240918/16X467*
332919	332919	332919	332919
332921	332921	332921	332921

*Includes Ceramic Balls.

WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do. . . *we will be there.*

3-YEAR WARRANTY Coverage against defects in materials and workmanship on the entire sprayer.

NOBODY ELSE BUILDS SPRAYERS LIKE THIS.

ACCESSORIES CONT. / WARRANTY



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955